

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 26	
1. CONTRACT PURCH ORDER/AGREEMENT NO. W56HZV-07-P-1065			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2007JUN14		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4		
6. ISSUED BY U.S. ARMY TACOM LCMC AMSTA-AHPD LEAH BOURDEAU (586)753-2464 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: LEAH.BOURDEAU@US.ARMY.MIL			CODE W56HZV		7. ADMINISTERED BY (If other than 6) DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000 SCD: B PAS: NONE ADP PT: HQ0337			CODE S2305A		8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR LANZEN FABRICATING INC 30980 GROESBECK HWY ROSEVILLE, MI 48066-1511 NAME AND ADDRESS TYPE BUSINESS: Other Small Business Performing in U.S.			CODE 1A424		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER DELIVERY/CALL PURCHASE X THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT. Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation W56HZV-07-X-6586, Dated 2007MAY31. T. K. LANZEN furnish the following on terms specified herein. ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
<div style="display: flex; justify-content: space-between;"> <div>NAME OF CONTRACTOR</div> <div>SIGNATURE</div> <div>TYPED NAME AND TITLE</div> <div>DATE SIGNED (YYYYMMDD)</div> </div> <input checked="" type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price  KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.						24. UNITED STATES OF AMERICA FREDRICK T. SEEBURGER /SIGNED/ FREDERICK. SEEBURGER@US.ARMY.MIL (586)574-8096 BY: CONTRACTING/ORDERING OFFICER				25. TOTAL \$664.20	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS				31. PAYMENT <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER	
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 2 of 26
	PIIN/SIIN W56HZV-07-P-1065	MOD/AMD	
Name of Offeror or Contractor: LANZEN FABRICATING INC			

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.201-4000 (TACOM)	TACOM-WARREN OMBUDSPERSON	JAN/2006

Information regarding the TACOM-Warren Ombudsperson is located at the website <http://contracting.tacom.army.mil/acqinfo/ombudsperson.htm>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 3 of 26
--------------------	---	--------------

Name of Offeror or Contractor: LANZEN FABRICATING INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SUPPLIES OR SERVICES AND PRICES/COSTS  NSN: 5340-01-524-4201 FSCM: 19207 PART NR: 163901 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u>  NOUN: MOUNT, FLAP PRON: EH7Y6586EH PRON AMD: 01 ACRN: AA AMS CD: 070011  <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 163901 DATE: 24-APR-2007  <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial  <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin  <u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV7113T641 W31G1Z J 2 DEL REL CD QUANTITY DEL DATE 001 18 24-SEP-2007  FOB POINT: Destination  SHIP TO: (W31G1Z) XR W0L7 ANNISTON MUNITIONS CTR TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG #380 ANNISTON AL 36201-4199  <u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-07-P-1065/0000	18	EA	\$ 36.90000	\$ 664.20
0001AB	<u>DISTRIBUTION DATA REPORT</u>  NOUN: DISTRIBUTION DATA REPORT	1	EA	\$ ** NSP **	\$ ** NSP **

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 4 of 26
--------------------	---	--------------

Name of Offeror or Contractor: LANZEN FABRICATING INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p><u>Description/Specs./Work Statement</u> PROCUREMENT DOCUMENTATION TITLE: SEE CLAUSE 52.247-4458</p> <p><u>Packaging and Marking</u>  Distribution Data Report, pursuant to the requirements of TACOM clause 52.247-4458.  The price for the Distribution Data Report in the amount of \$___NSP___ is included in the total amount for Item 0001AA.  NOTE: There is a payment withhold associated with nondelivery of this report, please see the TACOM clause.  (End of narrative D001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 3 DEL REL CD QUANTITY DEL DATE 001 1 24-SEP-2007</p> <p>FOB POINT: Destination</p> <p>SHIP TO: (Y00009) SEE BELOW</p> <p>CONTRACT/DELIVERY ORDER NUMBER W56HZV-07-P-1065/0000</p> <p>See 52.247-4458 (TACOM), Distribution Data Report.  (End of narrative F001)</p>				
0002	FSCM: 19207 PART NR: 163901 SECURITY CLASS: Unclassified				
0002AA	<p><u>Option Quantity</u></p> <p>NOUN: MOUNT, FLAP</p>	18	EA	\$ 32.40000	\$ 583.20

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 5 of 26
--------------------	---	--------------

Name of Offeror or Contractor: LANZEN FABRICATING INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>OPTION QUANTITY, PURSUANT TO THE CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM (52.217-4001).</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>(End of narrative B001)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 163901 DATE: 24-APR-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 18 UNDEFINITIZED</p> <p>FOB POINT: Destination</p> <p>SHIP TO: (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-07-P-1065/0000</p>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 6 of 26
Name of Offeror or Contractor: LANZEN FABRICATING INC		

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

2 52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES DEC/2005  
(TACOM)

- (a) DEFINITIONS:
- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (3) Value Engineering Change Proposal (VECP). A proposal that --
- (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
- (A) In deliverable end item quantities only;
- (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
- (C) To the contract type only.
- (4) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
- (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is M9.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products or later versions: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
- (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
- (d) Submittal Procedures for ECPs/VECPs/RFDs.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page</b> 7 <b>of</b> 26
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155. Indicate end item application (if known) in subject line, along with the NSN and contract number.

(f) Approval of ECPs, VECPS and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

3      52.211-4072      TECHNICAL DATA PACKAGE INFORMATION  
(TACOM)

JAN/2005

The following "X"d item applies to this solicitation:

[ ] There is no Technical Data Package (TDP) included with this solicitation.

[ ] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): <http://contracting.tacom.army.mil/bidreq.htm>

[ X ] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and hit the enter key.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 8 of 26
Name of Offeror or Contractor: LANZEN FABRICATING INC		

CLIN: 0001AA

TDP Link (URL): <https://acms.tacom.army.mil/techdata/packages/5340/015244201/EH7Y6586EH/main.htm>

[End of Clause]

4            52.211-4008            DRAWING LIMITATIONS            NOV/2005  
(TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) You, the contractor, are responsible for obtaining all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

#### PACKAGING AND MARKING

5            52.211-4517            PACKAGING REQUIREMENTS (COMMERCIAL)            NOV/2005  
(TACOM)

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.



<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page</b> 9 <b>of</b> 26
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to conserve weight and cube while retaining the protection required and enhancing standardization.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

(d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:

- (1) The quantity is over one (1) gross of the same national stock number,
- (2) Use enhances handling and inventorying,
- (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
- (4) The unit pack is less than 64 cubic inches,
- (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."

(4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD) including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

(h) Hazardous Materials (As applicable):

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 10 of 26</b>
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

(1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

(4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]

6            52.247-4458            DISTRIBUTION DATA REPORT            JUL/2006  
(TACOM)

(a) The contractor is required to complete the Distribution Data shown in this clause before first shipment for each deliverable item. This information is used by the Government for estimating shipment costs, storage planning and transport security.

(b) The Distribution Data Report shall be emailed to Packaging@tacom.army.mil, with a copy to the ACO and Buyer identified on the front page of this contract. Distribution Data shall be provided at the time of the first shipment of each deliverable item. Upon submittal of the Distribution Data, the contractor shall submit a Materiel Inspection and Receiving Report (MIRR (DD 250)). Acceptance by the ACO of a MIRR (DD 250) is required for final payment. Until Distribution Data is accepted, one thousand dollars (\$1000), or 10% of the final payment, whichever is less, may be withheld.

(c) Definitions of technical terms used in the packaging and distribution are defined in ASTM D996. Provide the sizes in inches and fractions of an inch rounded to the nearest 1/8 inch. Provide weights in pounds. Record weights only to the nearest 1/10 pound. A digital photo attached to the e-mail is optional.

(d) This form is also available at <http://contracting.tacom.army.mil/acqinfo/contractorforms.htm>

DISTRIBUTION DATA REPORT

DISTRIBUTION DATA for Contract Number: \_\_\_\_\_

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>		<b>Page 11 of 26</b>
	<b>PIIN/SIIN</b> W56HZV-07-P-1065	<b>MOD/AMD</b>	

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

1. ITEM

a. ITEM DESCRIPTION

National Stock Number (NSN):\_\_\_\_\_ Part Number & FSCM /CAGE: \_\_\_\_\_

Provide the contract, NSN, and the part Number & FSCM /CAGE shown in Section B.  
(Digital photos attached to the e-mail are optional.)

b. ITEM SIZE (UNPACKAGED): Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_

Provide the overall dimensions of the item. Provide the size as configured for shipment; i.e. coiled size, folded size, or retracted size. For kits and items of separate parts, provide size as nested and oriented for shipment within the unit package. This size may be the inside size of the unit package.

c. ITEM WEIGHT (UNPACKAGED): \_\_\_\_\_

Provide the weight of the unpackaged item.

2. UNIT PACKAGE

a. UNIT PACKAGE DESCRIPTION: \_\_\_\_\_

Describe any preservatives applied and the unit package. Examples:

(1) The unit package consists of the item, wrap, desiccant, and bag with marking.

(2) The unit package consists of the item, internal and external preservative, wrap, blocking and box with marking.

(3) The unit package consists of the item, wrap (impregnated with a volatile corrosion inhibitor), cushioning, bag and box with marking.

(4) The unit package consists of the item, fastened to a skid base with marking.

b. UNIT PACKAGE SIZE: Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_

Provide the exterior dimensions of the unit package.

c. UNIT PACKAGE WEIGHT: \_\_\_\_\_

Provide the weight including the item and unit packaging.

3. SHIPPING CONTAINER

a. SHIPPING CONTAINER DESCRIPTION: \_\_\_\_\_

Describe the shipping container. Indicate the number of unit packages in the shipping container.) Examples:

(1) The shipping container is a box. Each shipping container contains 100 unit packages.

(2) The shipping containers are two (2) different boxes. The large shipping containers contain eight (8) unit packages and the small shipping container contains two (2) unit packages. (Provide a size and weight for each shipping container.)

(3) The shipping container is the unit package box. One shipping container contains 1 (one) item.

(4) The shipping containers are unit package box 1 of 2 and unit package box 2 of 2. The two (2) partial unit package boxes container contain 1 (one) item, a kit. (This example applies to large kits only. Provide a size and weight for each shipping container.)

b. SHIPPING CONTAINER SIZE: Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_

Provide the exterior dimensions of the shipping container.

c. SHIPPING CONTAINER WEIGHT: \_\_\_\_\_

Provide the shipping container weight including the unit packs, dunnage, intermediate and exterior packing.

4. UNITIZED LOAD \_\_\_\_\_

a. UNITIZED LOAD-DESCRIPTION:

Describe the unitized load. Indicate the number of shipping containers in the unitized load. Examples:

(1) The unitized load consists of shipping containers, stacked and unitized onto a pallet or platform base for handling and transport. Each unitized load consists of 12 shipping containers on one (1) pallet.

(2) The unitized load consists of shipping containers, stacked and unitized onto a pallet or platform base for handling and transport. Three (3) unitized loads consist of 16 shipping containers on one (1) pallet. One (1) unitized load consists of 4 shipping containers on one (1) pallet. (Provide a size and weight for each unitized load below.)

(3) The unitized load consists of a shipping container with skids, rubbing strips, or other base for handling and transport. Each unitized load consists of a single shipping container.

(4) The unitized load consists of a shipping container only, without pallet, skid, or platform base for handling and transport. (This example applies only to small shipping containers where no pallet / handling base is required for handling and transport.)

b. UNITIZED LOAD-SIZE: Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_

Provide the exterior dimensions of each unitized load assembled for handling and transport.

c. UNITIZED LOAD-WEIGHT: \_\_\_\_\_

Provide the weight of each unitized load including the shipping container / containers, pallet, dunnage, unitizing wraps and strapping.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 12 of 26</b>
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

5. SPECIAL NOTES: \_\_\_\_\_

Indicate if:

- The item requires regulatory license or special security provisions for transport.
- The item is considered dangerous goods for transport as specified in CFR 49.
- The item requires electrostatic sensitive marking or magnetic marking.
- Item shelf life remaining is less than one (1) year. (Shelf life is the total period of time beginning with the date of manufacture, cure, or assembly that an item may remain in combined wholesale and retail storage, and still remain usable. Typical shelf-life items include food, medicines, batteries, paints, sealants, adhesives, film, tires, chemicals, packaged petroleum products, hoses/belts, o-rings, and Nuclear/Biological/Chemical equipment and clothing.)

[End of Clause]

INSPECTION AND ACCEPTANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or <http://www.acq.osd.mil/dpap/dars/index.htm> or <https://webportal.saalt.army.mil/saal-zp/procurement/afars.doc>

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

7	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
8	52.246-15	CERTIFICATE OF CONFORMANCE	APR/1984
9	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
10	52.211-4017	PAINTING TEST	FEB/2007

(a) Painting shall be in accordance with The Chemical Agent Resistant Coatings(CARC)Application Procedures and Quality Control Inspection detail specification MIL-DTL-53072. All painting procedures must be submitted to the Administrative Contracting Officer (ACO) for government review and to be approved by the Procuring Contracting Officer (PCO) in coordination with AMSRD-TAR-E/ME prior to painting.

(b) Noted exceptions, additional or special instructions are as follows:

(1) Chemical conversion coatings and pretreatments for ferrous surfaces (Base for Organic Coatings).

(i) Non-stainless steel

(A) Chemical conversion coatings and pretreatments shall be IAW Fed Spec TT-C-490(Type I & V).

(B) Hexavalent chromium containing rinses/sealers shall not be used.

(C) If this is a follow on action to an existing contract, pre-production approval in accordance with (IAW) section 3 of TT-C-490 may be waived or amended at the discretion of the government. Waiver requests shall be submitted to the ACO for government review and approval in coordination with AMSRD-TAR-E/ME.

(D) Once Pre-production approvals are met for Types I and V per section 3.0 of TT-C-490, monthly Quality Assurance (QA) checks using three test coupons/specimens shall be performed by the vendor. If a lot represents more than a months production, testing will be performed once per month with no less than 25 day intervals. If a lot represents less than a month of production, then the QA will be performed on each lot, or as agreed on prior to contract award. All results shall be recorded and submitted to the ACO for government review and approval in coordination with the Defense Contract Management Agency (DCMA).

(E) Section 3.2.21 of TT-C-490 requires that panels be sent to the procuring activity for evaluation and testing.

(1) Panels shall be sent to the Army Research Laboratory CARC Commodity Manager at the following address:

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN W56HZV-07-P-1065      MOD/AMD</p>	<p style="text-align: center;"><b>Page 13 of 26</b></p>
--	--	---

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

US Army Research Laboratory  
 Attn: John Escarsega  
 AMSRD-ARL-WM-MC  
 Deer Creek Loop, Bld. 4600  
 APG, MD 21005

(2) Items to be tested shall be accompanied by the following information: (a) Company name; (b) Contract number; (c) material from which the panels were made and the process used; (d) explanation of why panels are being submitted and (e) Point of Contact.

(ii) Stainless Steel:

(A) Stainless steel surfaces shall be cleaned IAW MIL-DTL 53072 section 3.2 (a) and/or (b).

(B) Wash primer DOD-P-15328 and MIL-C-8514 are prohibited material due to their hexavalent chromium content. Following cleaning, stainless steel surfaces shall be pretreated using one of the following methods:

- (1) Mechanical blasting IAW SSPC-10.  
 NOTE: Mechanical blasting may not be suitable for thin sheet stainless steel.

(2) A non-hexavalent chromium substitute which meets the performance requirements of DOD-P-15328.

(2) Chemical conversion coatings and pretreatments for non-ferrous surfaces.

(i) Aluminum surfaces and aluminum alloys: All aluminum and its alloys require cleaning and pretreatment prior to painting or as stand alone conversion coatings.

(A) Where hexavalent chromium is prohibited within contract documents (SOW, PD, TDP, etc.), use the following: MIL-DTL-81706 Type II Class 1A or Class 3 or ASTM B 921, Table 1 Standard Specification for Non-Hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys. Where lower electrical resistance is required the commercial product must meet the performance criteria of Class 3 of MIL-DTL-81706.

(B) Applications, quality assurance and coating requirements in MIL-DTL-81706 shall be IAW spec MIL-DTL-5541 Chemical Conversion Coatings on Aluminum and Aluminum Alloys.

(C) Anodic Coatings shall be in IAW with MIL-A-8625 Anodic Coatings for Aluminum and Aluminum Alloys. The types and classes to be specified in the contract. Hexavalent chromium containing rinses/sealers shall not be used.

(3) E-coating (Electric Coating for Primer) shall be IAW MIL-P53084:

(i) E-coat application shall be done in accordance with written instructions by the E-coat QPL supplier.

(ii) Ferrous and zinc/zinc alloy coated surfaces shall be cleaned and pretreated with a Type 1 zinc phosphate coating IAW Fed spec TT-C-490 plus any additional requirements from the e-coat QPL supplier.

(iii) All pre-production samples or coupons shall be scribed IAW ASTM D 1654, section 4.1.1 or 4.1.2 and then undergo 1000 hours of salt spray ASTM B117 or 40 cycles of SAE J2334 on galvanized surfaces or to a mutually agreed number of hours prior to production.

(iv) Once samples are approved and production has begun: The coating contractor shall on a monthly basis or as agreed upon, perform a corrosion audit by E-coating three (3) production pieces or standard 4x12in Q-panels made from the same material as the end item through the actual production line. The samples or panels shall then be scribed IAW ASTM 1654, section 4.1.1 or 4.1.2 and be tested for a period of 336 hours IAW ASTM B117 neutral salt fog test or 20 Cycles of SAE J2334 for galvanized surfaces.

(v) On a yearly basis: the corrosion audit shall consist of taking three (3) production pieces or Q panels of the same material with the governments approval through the actual production line. The samples or panels shall then be scribed IAW ASTM D 1654, section 4.1.1 or 4.1.2 and be tested for a period of 1000 hours salt spray IAW ASTM B117 or a 40 Cycle test IAW SAE J2334 for galvanized surfaces.

(vi) After any or all corrosion testing, all samples shall pass the requirements of:

(A) ASTM D3359: Standard Test Method for Measuring Ashesion by Tape Test. Ashesion ratin no greater than classification 3B, FIG. 1.

(B) ASTM D610: Standard Test Method for Evaluating Degree of Rusting on Painted Steel Surfaces. Rust Ratings no lower than

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 14 of 26
Name of Offeror or Contractor: LANZEN FABRICATING INC		

grade 9, Table 1.

(C) ASTM D714: Standard Test Method for Evaluating Degree of Blistering of Paints. Blistering of paint, no greater than Few, Blister size 4 Fig. 2 and no more than 5 blisters per 24 in square.

(D) ASTM D 1654 Standard Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments. Creepage from scribe no greater than Rating 6 of Table 1. Evaluation of unscribed area shall not be greater than rating number 9 of Table 2.

- (4) Powder coating (primer) selection, application and QC requirements:
- (i) Selected powder coating (primer) shall be from Experimental Products Program list supplied by the Army Research Lab CARC commodity manager. Attn: AMSRD-ARL-WM-MC.

(ii) All cleaning and conversion coatings prior to powder coating of surfaces and quality inspection shall be IAW MIL-DTL-53072.

(iii) Cleaning and pretreatment shall be IAW above paragraphs depending on which substrate is being used.
- [End of Clause]

- 11

52.211-4029

INTERCHANGEABILITY OF COMPONENTS

MAY/1994

(TACOM)
- (a) DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.

(b) WHEN THE POLICY CAN BE WAIVED. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.

(c) PRODUCTION OR DELIVERY DELAYS. Any production or delivery delays caused by this retesting will not be the basis for:

(1) an "excusable delay" as defined in the DEFAULT clause of this contract.

(2) be the basis for an increase in contract price or delivery schedule extension.

[End of clause]
- 12

52.242-4008

ROUTING OF SPECIAL PROCESS APPROVALS

DEC/2005

(TACOM)

(a) The Technical Data Package for this contract contains one or more of the following specifications:

MIL-DTL-16232

Phosphate Coating, Heavy, Manganese or Zinc Base

TT-C-490

Chemical Conversion Coatings and Pretreatment for Ferrous Surfaces (Base for Organic Coatings)

MIL-W-12332

Welding Resistance, Spot: Weldable Aluminum Alloys

MIL-W-45210

Welding Resistance, Spot: Weldable Aluminum Alloys

\*Drawing 12479550

Ground Combat Vehicle Welding Code - Steel

\*Drawing 12472301

Ground Combat Vehicle Welding Code - Aluminum

\* If these drawings are not available with your procurement package, you are referred to the TACOM Procurement Network for access to the documents at the following website address: [http://contracting.tacom.army.mil/engr/gcv\\_weldingcodes.htm](http://contracting.tacom.army.mil/engr/gcv_weldingcodes.htm)

(b) The specifications listed in paragraph 1 may require you to get approval from the Government prior to production for one or more special processes involved in producing the item. The following shall apply, unless stated elsewhere in the contract:

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

(1) You shall prepare the written procedures as the specification requires.

(2) Procedures requiring Government approval shall be routed to the Administrative Contracting Officer (ACO) for review and approval. If the ACO is unable to perform a review, the ACO shall forward the procedure to the Procuring Contracting Officer (PCO) for assistance in the review and approval process. The correct address for the PCO is on the face page of this contract.

(3) You shall cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

(4) The DCMA will provide a copy of their approval/rejection notices to the PCO.

(5) DCMA is required to qualify the processes of the major coating subcontractors used by the prime contractors.

[End of Clause]

13 52.246-4028 INSPECTION AND ACCEPTANCE POINTS: ORIGIN  
(TACOM)

NOV/2005

The Government's inspection and acceptance of the supplies offered under this contract/purchase order shall take place at ORIGIN. Offeror must specify below the exact name, address, and CAGE of the facility where supplies to be furnished under this contract/purchase order will be available for inspection/acceptance.

INSPECTION POINT: Lanzen Fabricating, Inc. 1A424  
(Name) (CAGE)

611 N E Limits	Mancelona, MI	49659
(Address)	(City)	(State)(Zip)

ACCEPTANCE POINT: Lanzen Fabricating, Inc. 1A424  
(Name) (CAGE)

611 N E Limits	Mancelona, MI	49659
(Address)	(City)	(State)(Zip)

[End of Clause]

## DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or <http://www.acq.osd.mil/dpap/dars/index.htm> or <https://webportal.saalt.army.mil/saal-zp/procurement/afars.doc>

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

14	52.211-17	DELIVERY OF EXCESS QUANTITIES	SEP/1989
15	52.242-15	STOP-WORK ORDER	AUG/1989
16	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
17	52.247-34	F.O.B. DESTINATION	NOV/1991
18	52.247-48	F.O.B. DESTINATION--EVIDENCE OF SHIPMENT	FEB/1999
19	252.211-7006	RADIO FREQUENCY IDENTIFICATION	FEB/2007
20	52.211-16	VARIATION IN QUANTITY	APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 16 of 26</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

in paragraph (b) of this clause.

(b) The permissible variation shall be limited to:

- 0 Percent increase
- 0 Percent decrease

This increase or decrease shall apply to 0001AA and 0002AA.

(End of Clause)

21	52.242-4022 (TACOM)	DELIVERY SCHEDULE	SEP/2006
----	------------------------	-------------------	----------

(a) Offers that propose delivery that will not clearly fall within the applicable required delivery schedule specified below MAY BE CONSIDERED NONRESPONSIVE AND NOT ELIGIBLE FOR AWARD. If you believe that the delivery schedule or quantity is unrealistic, contact the buyer listed on the cover sheet of this solicitation at least 14 days prior to solicitation closing date.

(b) DEFINITIONS:

(1) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.

(2) DELIVERY is defined as follows:

FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or

FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(c) The Government requires delivery to be made according to the following schedule:

(1) GOVERNMENT REQUIRED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
N/A	N/A	N/A

(2) GOVERNMENT REQUIRED DELIVERY SCHEDULE IF THERE IS NO FIRST ARTICLE TEST (FAT), OR IF FAT IS WAIVED

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
0001AA	18	150

(d) If the offeror does not propose an accelerated delivery schedule, the required delivery schedule above will apply. If you wish to propose an accelerated delivery schedule at no additional cost, fill in the appropriate information here:

(1) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
N/A	N/A	N/A

(2) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITHOUT FIRST ARTICLE TEST (FAT), or IF FAT IS WAIVED

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
0001AA	18	100

(e) You can accelerate delivery after contract award at no additional cost to the government.



CONTINUATION SHEET	Reference No. of Document Being Continued		Page 17 of 26
	PIIN/SIIN	MOD/AMD	
Name of Offeror or Contractor: LANZEN FABRICATING INC			

[End of Clause]

22 52.247-4017 DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR MAY/2004  
(TACOM) ADDRESSES

Rail/ Motor SPLC*	MILSTRIP Address Code	Rail Ship To:	Motor Ship To:	Parcel Post Mail To:
206721/ 209405	W25G1U	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

\*\*\*SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot  
Red River Army Depot  
Sharpe Army Depot

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 18 of 26</b>
---------------------------	---	----------------------

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

Name of Offeror or Contractor: LANZEN FABRICATING INC

CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ ITEM	OBLG STAT	ACCOUNTING CLASSIFICATION	JOB ORDER NUMBER	ACCOUNTING STATION	OBLIGATED AMOUNT
0001AA	EH7Y6586EH 070011	AA 2	97 X4930AC6D 6D	26FB S20113	W56HZV \$	664.20
TOTAL						\$ 664.20

SERVICE NAME	TOTAL BY ACRN	ACCOUNTING CLASSIFICATION	ACCOUNTING STATION	OBLIGATED AMOUNT
Army	AA	97 X4930AC6D 6D	26FB S20113	W56HZV \$ 664.20
TOTAL				\$ 664.20

ACRN	EDI ACCOUNTING CLASSIFICATION	
AA	97 0X0X4930AC6D S20113	76D00000700110000026FB S20113
23	52.204-4011 (TACOM)	PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE (DFAS) OCT/2005

In accordance with DFARS PGI 204.7108, the contract shall be paid in accordance with DFARS PGI 204.7108(d)(5), line item specific by cancellation date.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 20 of 26
Name of Offeror or Contractor: LANZEN FABRICATING INC		

SPECIAL CONTRACT REQUIREMENTS

24 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING SEP/2004

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: <http://contracting.tacom.army.mil/awd.htm>  
Rock Island: <https://aais.ria.army.mil/AAIS/AWDINFO/index.htm>  
Picatinny: <http://procnet.pica.army.mil/dbi/DynCBD/award.cfm>  
Red River Army Depot: <http://www.redriver.army.mil/contractingframes/RecentAwards.DPD.cfm>  
Anniston Army Depot: <http://www.anadprocnet.army.mil/>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/dpap/ebiz/VANs.htm>. If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/ebidnotice.htm>

(f) Additional information can be obtained by sending a message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil) or by calling (586) 574-7059.

[End of Clause]

25 52.246-4026 LOCAL ADDRESSES FOR DD FORM 250 AND WAWF RECEIVING REPORTS SEP/2006  
(TACOM)

(a) The Contractor may use either the Material Inspection and Receiving Report (DD 250) or Wide Area Workflow (WAWF) to process receiving reports for inspection, acceptance, and payment. Use only one method per contract; not both.

(b) If you are using the Material Inspection and Receiving Report (DD 250), use one of the following methods to send each DD 250 pertaining to this contract to us:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: [DD250@tacom.army.mil](mailto:DD250@tacom.army.mil)

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7788 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract. These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F. The DD250 form may be found, in three

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 21 of 26
--------------------	---	---------------

Name of Offeror or Contractor: LANZEN FABRICATING INC

different formats, on the World Wide Web at <http://www.dtic.mil/whs/directives/infomgt/forms/forminfo/forminfo2126.html>

(c) If you are using Wide Area Workflow (WAWF) instead of DD 250s, we may require copies of the WAWF Receiving Report, Bills of Lading, or other documentation to resolve delinquencies, payment issues, or other administrative issues. If this documentation is requested, use the same email address or fax number shown in paragraph (b) above to submit the information. No copies of the WAWF Receiving Report are required unless specifically requested by the PCO, buyer, or other appropriate government official.

[End of Clause]

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

<http://www.arnet.gov/far/> or <http://www.acq.osd.mil/dpap/dars/index.htm> or <https://webportal.saalt.army.mil/saal-zp/procurement/afars.doc>

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

26	52.204-7	CENTRAL CONTRACTOR REGISTRATION	JUL/2006
27	52.208-9	CONTRACTOR USE OF MANDATORY SOURCES OF SUPPLY OR SERVICES	JUN/2006
28	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
29	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
30	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
31	52.215-18	REVERSION OR ADJUSTMENT OF PLANS FOR POSTRETIREMENT BENEFITS (PRB) OTHER THAN PENSIONS	JUL/2005
32	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
33	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
34	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
35	52.222-26	EQUAL OPPORTUNITY	MAR/2007
36	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	SEP/2006
37	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	SEP/2006
38	52.223-6	DRUG-FREE WORKPLACE	MAY/2001
39	52.232-1	PAYMENTS	APR/1984
40	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
41	52.232-9	LIMITATION ON WITHHOLDING OF PAYMENTS	APR/1984
42	52.232-11	EXTRAS	APR/1984
43	52.232-25	PROMPT PAYMENT	OCT/2003
44	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
45	52.233-1	DISPUTES	JUL/2002
46	52.233-3	PROTEST AFTER AWARD	AUG/1996
47	52.233-4	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM	OCT/2004
48	52.243-1	CHANGES--FIXED PRICE	AUG/1987
49	52.244-6	SUBCONTRACTS FOR COMMERCIAL ITEMS	MAR/2007
50	52.249-1	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SHORT FORM)	APR/1984
51	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
52	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
53	252.204-7000	DISCLOSURE OF INFORMATION	DEC/1991
54	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
55	252.204-7006	BILLING INSTRUCTIONS	OCT/2005
56	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
57	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	JAN/2007
58	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAR/2006
59	252.225-7033	WAIVER OF UNITED KINGDOM LEVIES	APR/2003

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 22 of 26
	PIIN/SIIN W56HZV-07-P-1065	MOD/AMD	

Name of Offeror or Contractor: LANZEN FABRICATING INC

60	252.225-7041	CORRESPONDENCE IN ENGLISH	JUN/1997
61	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
62	252.232-7003	ELECTRONIC SUBMISSION OF PAYMENT REQUESTS	MAR/2007
63	252.232-7010	LEVIES ON CONTRACT PAYMENTS	DEC/2006
64	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
65	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
66	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA	MAY/2002
67	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA - ALTERNATE III	MAY/2002
68	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition. Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)

(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offerors Name \_\_\_\_\_

Manufacturers Name \_\_\_\_\_

Sources Name \_\_\_\_\_

Item Name \_\_\_\_\_

Service Identification \_\_\_\_\_

Test Number \_\_\_\_\_(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Governments best interests.

(e) If an offeror, manufacturer, source, product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Governments interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

(End of Clause)

69	52.223-7	NOTICE OF RADIOACTIVE MATERIALS	JAN/1997
----	----------	---------------------------------	----------

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 23 of 26</b>
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

(a) The Contractor shall notify the Contracting Officer or designee, in writing, 60 days prior to the delivery of, or prior to completion of any servicing required by this contract of, items containing either

(1) radioactive material requiring specific licensing under the regulations issued pursuant to the Atomic Energy Act of 1954, as amended, as set forth in Title 10 of the Code of Federal Regulations, in effect on the date of this contract, or

(2) other radioactive material not requiring specific licensing in which the specific activity is greater than 0.002 microcuries per gram or the activity per item equals or exceeds 0.01 microcuries.

Such notice shall specify the part or parts of the items which contain radioactive materials, a description of the materials, the name and activity of the isotope, the manufacturer of the materials, and any other information known to the Contractor which will put users of the items on notice as to the hazards involved (OMB No. 9000-0107).

(b) If there has been no change affecting the quantity of activity, or the characteristics and composition of the radioactive material from deliveries under this contract or prior contracts, the Contractor may request that the Contracting Officer or designee waive the notice requirement in paragraph (a) of this clause. Any such request shall --

- (1) Be submitted in writing;
- (2) State that the quantity of activity, characteristics, and composition of the radioactive material have not changed; and
- (3) Cite the contract number on which the prior notification was submitted and the contracting office to which it was submitted.

(c) All items, parts, or subassemblies which contain radioactive materials in which the specific activity is greater than 0.002 microcuries per gram or activity per item equals or exceeds 0.01 microcuries, and all containers in which such items, parts or subassemblies are delivered to the Government shall be clearly marked and labeled as required by the latest revision of MIL-STD 129 in effect on the date of the contract.

(d) This clause, including this paragraph (d), shall be inserted in all subcontracts for radioactive materials meeting the criteria in paragraph (a) of this clause.

(End of Clause)

70                      52.252-2                      CLAUSES INCORPORATED BY REFERENCE                      FEB/1998

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address:

<http://farsite.hill.af.mil/>

(End of Clause)

71                      52.252-6                      AUTHORIZED DEVIATIONS IN CLAUSES                      APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS)(48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

(End of Clause)

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>	<b>Page 24 of 26</b>
	<b>PIIN/SHIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	

**Name of Offeror or Contractor:** LANZEN FABRICATING INC

72	52.217-4001 (TACOM)	SEPARATELY PRICED OPTION FOR INCREASED QUANTITY	FEB/2007
----	------------------------	---	----------

(a) The Government may require the delivery of the numbered item, identified in the schedule as an option item, in the quantity and at the price stated in the schedule. This option may be exercised by the Government at any time, but in any event not later than 120 days after either (i) award or, if FAT is required, (ii) after FAT approval. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

73            52.215-19            NOTIFICATION OF OWNERSHIP CHANGES            OCT/1997

(a) The Contractor shall make the following notifications in writing:

(1) When the Contractor becomes aware that a change in its ownership has occurred, or is certain to occur, that could result in changes in the valuation of its capitalized assets in the accounting records, the Contractor shall notify the Administrative Contracting Officer (ACO) within 30 days.

(2) The Contractor shall also notify the ACO within 30 days whenever changes to asset valuations or any other cost changes have occurred or are certain to occur as a result of a change in ownership.

(b) The Contractor shall --

(1) Maintain current, accurate, and complete inventory records of assets and their costs;

(2) Provide the ACO or designated representative ready access to the records upon request;

(3) Ensure that all individual and grouped assets, their capitalized values, accumulated depreciation or amortization, and remaining useful lives are identified accurately before and after each of the Contractors ownership changes; and

(4) Retain and continue to maintain depreciation and amortization schedules based on the asset records maintained before each Contractor ownership change.

(c) The Contractor shall include the substance of this clause in all subcontracts under this contract that meet the applicability requirement of FAR 15.408(k).

(End of Clause)

74 52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA JAN/1997

(a) Hazardous material, as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract).

(b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material	Identification No.
(If none, insert None)	



<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> W56HZV-07-P-1065 <b>MOD/AMD</b>	<b>Page 25 of 26</b>
<b>Name of Offeror or Contractor:</b> LANZEN FABRICATING INC		

---



---



---

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

(h) The Governments rights in data furnished under this contract with respect to hazardous material are as follows:

- (1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to --
  - (i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;
  - (ii) Obtain medical treatment for those affected by the material; and
  - (iii) Have others use, duplicate, and disclose the data for the Government for these purposes.
- (2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.
- (3) The Government is not precluded from using similar or identical data acquired from other sources.

(End of Clause)

75                      52.223-11                      OZONE-DEPLETING SUBSTANCES                      MAY/2001  
 (a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR Part 82 as--

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II , including, but not limited to hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j (b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

Warning

Contains (or manufactured with, if applicable) \*\_\_\_\_\_, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

\* The Contractor shall insert the name of the substance(s).

(End of Clause)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1065 MOD/AMD	Page 26 of 26
--------------------	--	---------------

Name of Offeror or Contractor: LANZEN FABRICATING INC

76                      252.223-7001                      HAZARD WARNING LABELS                      DEC/1991

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labeling requirements of one of the following statutes:

- (1) Federal Insecticide, Fungicide and Rodenticide Act;
- (2) Federal Food, Drug and Cosmetics Act;
- (3) Consumer Product Safety Act;
- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labeled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATERIAL (If None, Insert None.)                      ACT


(d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.

(e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

(End of clause)

77                      52.204-4009                      MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION                      MAR/2005  
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the website:  
<http://contracting.tacom.army.mil/ebidnotice.htm>

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]